



Tech Info Library

Hard Disk 20: Specification (Discontinued)

Revised: 9/14/93
Security: Everyone

Hard Disk 20: Specification (Discontinued)

=====

This article last reviewed: 27 September 1985

I. Technical Specifications

A. Storage Characteristics

1. Data Capacity: 20,769,280 Bytes (formatted)
2. Data Surfaces: 4
3. Heads per surface: 1
4. Blocks
 - a. Total: 39,040
 - b. Size: 532 bytes
 1. 512 bytes user data
 2. 20 bytes system data
5. Tracks
 - a. Per surface: 305
 - b. Spacing: 600 tracks per inch
6. Sectors
 - a. Per Track: 32
 - b. Per Surface: 9760

B. Drive Characteristics:

1. Average seek time: 85 milliseconds
2. Head-to-disk transfer rate: 7.5 million bits per second
3. Rotational speed: 2744 RPM
4. Drive startup time: 15 seconds

5. Drive spin-down time: 25 seconds

6. Stepper motor

C. Power Requirements:

1. Line voltage: 85 to 270 volts AC, RMS

2. Frequency: 47 to 64 Hz

3. Power: 30 watts

4. Amp requirements (maximum power utilization): 0.25 amps

D. Environmental Characteristics:

1. Temperature:

	Degrees	
	Fahrenheit	Celsius

a. Operating:	50 to 104	10 to 40
---------------	-----------	----------

b. Storing:	-104 to 122	-40 to 50
-------------	-------------	-----------

2. Relative Humidity: 20% to 80% (noncondensing)

3. Altitude: -1000 to 10,000 feet

E. Interface:

-- Transfer Rate: 500 Kilobits per second (serial)

1. DB-19 connector (to Macintosh External Disk Drive port)

2. Expansion port: DB-19 connector

-- Compatible with Macintosh external disk drive

F. Physical Specifications

1. Weight: 7 pounds (3.2 kilograms)

	inches	millimeters
--	--------	-------------

2. Width:	9.7	246
-----------	-----	-----

3. Height:	3.1	78.5
------------	-----	------

4. Depth:	10.5	266
-----------	------	-----

II. System Configuration

The Hard Disk 20 with Startup Disk can be used with any Macintosh 512K, Macintosh 512Ke, Macintosh Plus, or Macintosh SE.

Copyright 1985, 1992, Apple Computer, Inc.

Tech Info Library Article Number:1306