



Tech Info Library

Installing Apple Speller On Catalyst For The Apple III

Revised: 12/10/85
Security: Everyone

Installing Apple Speller On Catalyst For The Apple III

=====

You may move Apple Speller III to the hard disk for use with Catalyst. These instructions assume you are moving Apple Speller III to a ProFile (with a driver name .PROFILE). Substitute the name of your hard disk driver for .PROFILE if you wish to install Apple Speller III to a different hard disk.

COPY PROCEDURE:

1. Boot the Catalyst diskette.
2. From the Catalyst main menu select the System Utilities Program.
3. Enter "F" for File Handling Commands.
4. Enter "M" for Make a New Subdirectory.
5. Enter "CATALYST/SPELL".
6. Enter "25" as the subdirectory size.
7. In the same manner, create the subdirectory: "DICTIONARY" with room for 25 files.
8. Press "ESCAPE".
9. Enter "C" for copy files.
10. Copy all files on the Apple Speller III PROGRAM disk to the subdirectory "CATALYST/SPELL" except for the following:

SYSTEM.MISCINFO SYSTEM.PASCAL SOS.KERNEL SOS.INTERP and SOS.DRIVER

To do this, type ".D1/" and press the up arrow key. A list of files is displayed in a box. The up and down arrow keys allow you to move an inverse bar over the name of your choice. Pressing the right arrow key marks the file so as to include it in the copy process. Mark all files to be copied in this way. When all files are marked press RETURN.

11. Enter "R" to rename a file.
12. Change the name of "SYSTEM.LIBRARY" to "SYSTEM.STAR.LIB" and "SYSTEM.STARTUP" to "START.CODE".
13. After all files have been copied and renamed, copy ALL files from disks DICTIONARY 1 and DICTIONARY 2 to the subdirectory "DICTIONARY".

ADDING APPLE SPELLER III TO THE CATALYST MENU

1. Return to the Catalyst main menu.
2. Select the Catalyst Editor in the Catalyst main menu.
3. Enter "E" to edit the menu.
4. Use the up and down arrow keys to position the inverse bar over the entry you want the program to precede. Press "A" to add a program entry.
5. You will be asked for the display name of this program, enter "APPLE SPELLER".
6. Enter "CATALYST/PASCAL" as the interpreter pathname.
7. You will be asked for a list of any extra drivers this program requires. Press RETURN.
8. Press RETURN for the character set pathname.
9. Press RETURN for standard character set.
10. Press RETURN again to use the default keyboard.
11. Press RETURN to accept the default prefix.
12. Enter "3" for the "Max Files Allowed...." question. This will allow the program to be exited by holding down both Apple keys and pressing ESCAPE. (The value 3 suppresses the DISK FILES OPEN warning).
13. Enter "CATALYST/SPELL/START.CODE" when you are asked for the program path.
14. You will be asked if this entry is correct. If it is, enter "Y" then press ESCAPE to exit to the main menu.
If you made any mistakes during entry, enter "N". You may then enter the number of the item you wish to correct. When all items are correct, press ESCAPE. Then press ESCAPE again to exit to the main menu.
15. Enter "5" to update the INTERPS file. When you are asked if you want to recalculate the load address, enter "N".
16. Exit to the CATALYST main menu by entering "Q".

NOTE: Apple Computer Inc. is not responsible for the contents of this article.

Quark Technical Support

Tech Info Library Article Number:1553