



Tech Info Library

LaserWriter Pro 600 for Windows: Specifications

Revised: 10/21/93
Security: Everyone

LaserWriter Pro 600 for Windows: Specifications

=====

Article Created: 5 April 1993

TOPIC -----

This article gives the technical specifications of the LaserWriter Pro 600 for Windows.

DISCUSSION -----

Marking engine

- Canon EX laser

Controller

- 25-MHz 68030 CPU, ASICs, and I/O processors

Memory

- 8MB RAM, expandable to 32MB
- 2MB ROM

Speed

- Eight pages per minute (maximum)

Print Quality

- 600 dpi
- 300 dpi enhanced with PhotoGrade and FinePrint
- 300-dpi HP LaserJet IIP (PCL4+) emulation

Fonts

- 75 scalable fonts
 - 35 fonts in ROM from the following font families: ITC Avant Garde Gothic, ITC Bookman, Courier, Helvetica, Helvetica Narrow, New Century Schoolbook, Palatino, Symbol, Times, ITC Zapf Chancery, and ITC Zapf Dingbats
 - 40 additional Windows 3.1-compatible fonts on disk from the Bitstream TrueType Font Pack, including fonts from the following families: Bitstream Oz Handicraft, Clarendon, English, Fraktur, Freehand, Geometric, Humanist, Huxley Vertical, Imperial, Impress, Incised, Informal, Nuptial, Poster Bodoni, Revival, Square Slabserif, Staccato, Umbra, and Vineta
- Any TrueType or PostScript fonts

Interfaces

-

Recommended Duty Cycle

- Toner cartridge: 6000 pages at 5% density
- Printer: 450,000 pages (minimum)

Print Materials

- Media: 20- to 24-lb. (60- to 80-g/m²) media from cassette, up to 32-lb. (135-g/m²) media manually
- Paper: U.S. letter, U.S. legal, A4, B5
- Labels, envelopes, most textured stock, and transparencies

Paper Capacities

- Standard
 - 100-sheet multipurpose tray (can also hold up to 10 envelopes)
 - 250-sheet letter cassette
- Optional
 - 500-sheet feeder
 - Envelope feeder: up to 75 envelopes

Printable Surface

- Maximum printable line: 8.1 in. (205.9 mm)
- Minimum margins: left and right 0.1379 in. (3.5 mm)
 - top 0.114 in. (2.9 mm)
 - bottom 0.197 in. (5.0 mm)

Size and Weight

- Height: 12.1 in. (30.8 cm)
- Width: 16.8 in. (42.5 cm)
- Depth: 16.9 in. (42.9 cm)
- Weight: 39 lb. (17.7 kg)

Power Requirements

- U.S./Japan: 90 to 110 VAC, 58 to 62 Hz; 103.5 to 126 VAC, 58 to 62 Hz

..TIL11773-LaserWriter_Pro_600_for_Windows-Specifications.pdf

- Europe/Australia: 194 to 264 VAC, 48 to 52 Hz

Power consumption

- Standby: 95 W (average)
- Operating maximums
 - 560 W at 115 V
 - 530 W at 220 V

Copyright 1993, Apple Computer, Inc.

Tech Info Library Article Number:11773