



Tech Info Library

Workgroup Server 9150/120: Technical Specifications (3/95)

Revised: 3/31/95
Security: Everyone

Workgroup Server 9150/120: Technical Specifications (3/95)

=====

Article Created: 31 March 1995

TOPIC -----

This article provides the technical specifications for the Workgroup Server 9150/120.

DISCUSSION -----

Technical Specifications

=====

Microprocessor

- PowerPC 601 RISC microprocessor running at 120 MHz
- Integrated floating-point unit and 32K on-chip cache
- 1MB level-2 cache; 256KB available in Build-to-Order configuration

Memory

- 16MB of RAM
- Can be expanded to up to 264MB of RAM

Drives

- Up to five internal 1GB, 2GB, or 4GB Apple hard disk drives
- One DDS-2 DAT drive (4GB uncompressed, 10 to 14GB compressed); some configurations
- One AppleCD 600i Plus CD-ROM drive (up to 600KB/s data-transfer rate)
- One Apple SuperDrive 1.4MB floppy disk drive that reads, writes, and formats Macintosh, Windows, MS-DOS, and OS/2 disks

Bundled software

Server administration tools

- FileWave - Automated software and data distribution

- Server Manager* - Remote AppleShare management tools
- Apple RAID Software - Disk striping and data mirroring
- Retrospect Remote** - Automated backup software

* Only included in AppleShare configurations

** Only included in DAT drive configurations

User productivity tools

- AppleShare Client for Windows - Enables Windows clients to connect to an AppleShare Server
- Now Contact - Contact management software
- Now Up•to•Date - Group scheduling software
- Viper Instant-Access - Cross-platform information retrieval system
- Adobe Acrobat Reader - Viewing application for portable document format (PDF) files

NOTE: The only software bundled with the 9150/120 when it is used as part of the Apple Internet Server Solution for the World Wide Web is Apple RAID Software, AppleShare Client for Windows, and Retrospect Remote.

Displays

- Supports up to 14-inch Apple displays at 32,768 colors, and 16- and 17-inch Apple displays at 256 colors
- Supports most third-party displays as well as VGA and SVGA monitors

Video support

- Built-in DRAM display support

Interfaces

- Four NuBus expansion slots
- One processor-direct slot
- One Apple Desktop Bus (ADB) port for a keyboard, mouse, and other device
- AAUI-15 Ethernet connector
- Two DMA serial (RS-232/RS-422) ports compatible with LocalTalk
- Two high-speed asynchronous SCSI DMA buses; one supports up to 7 external SCSI devices, the other supports up to 7 internal SCSI devices (for a total of 14)
- 16-bit stereo sound input and output ports
- DB-15 video port for display support

Networking

- Built-in Ethernet
- Two serial ports for LocalTalk
- Supports TCP/IP networking software with MacTCP

Clock/calendar

- Custom integrated circuit with long-life lithium battery

Disability access

-
- Easy Access and visible beep included with system software to provide alternative input and output devices for people with disabilities

Electrical requirements

- Line voltage: 100 to 240 volts AC, RMS single phase, automatically configured
- Frequency: 50 to 60 Hz, single phase
- Power: 303 W maximum, not including display

ADB power requirements

- Maximum current draw for all ADB devices: 500 mA (a maximum of three ADB devices is recommended)
- Mouse draws 10 mA
- Keyboard draws 25 to 80 mA (varies with keyboard model used)

Keyboard and mouse

- Supports ADB keyboards with numeric keypads
- ADB Mouse II included

Size and weight

- Height: 18.6 in. (47.3 cm)
 - Width: 8.9 in. (22.4 cm)
 - Depth: 20.6 in. (52.3 cm)
 - Weight: 36.8 lb. (16.7 kg)
- (varies based on internal devices installed)

Operating environment

- Operating temperature: 50 to 95 degrees F (10 to 35 degrees C)
- Storage temperature: -40 to 116.6 degrees F (-40 to 47 degrees C)
- Relative humidity: 20% to 80% noncondensing
- Maximum altitude: 10,000 ft. (3,048 m)

Regulatory approval

- FCC Class A

Ordering Information

=====

Workgroup Server 9150/120 (16MB/2 x 1GB/DAT/CD)

Order No. M4064LL/A

- Workgroup Server 9150/120 with 16MB of RAM, 1MB level-2 cache, two 1GB hard disk drives quadruple-speed CD-ROM drive, DDS-2 DAT drive, 1.4MB Apple SuperDrive floppy disk drive, and mouse
- System 7.5.1 and bundled software
- Power Macintosh Display Adapter

Workgroup Server 9150/120 (16MB/2 x 1GB/DAT/CD) with AppleShare

Order No. M4038LL/A

- Identical to the above configuration, with the addition of AppleShare 4.1 software

Workgroup Server 9150/120 (16MB/2GB/CD)

Order No. M4008LL/A

- Workgroup Server 9150/120 with 16MB of RAM, 1MB of level-2 cache, one 2GB hard disk drive, quadruple-speed CD-ROM drive, 1.4MB Apple SuperDrive floppy disk drive, System 7.5.1, and bundled software

Workgroup Server 9150/120 Build-to-Order

Order No. M4041LL/A

- Base chassis includes 8MB of RAM, 1.4MB Apple SuperDrive floppy disk drive, quadruple-speed CD-ROM drive, System 7.5.1 software, and Apple RAID Software

Apple Internet Server Solution for the World Wide Web 9150/120

Order No. M4145LL/A

- Identical to Order No. M4064LL/A, but includes Apple Internet Server Solution software

Workgroup Server 9150 Logic Board Upgrade

Order No. M4047LL/A

- Upgrades a Macintosh Quadra 900, 950 or a Workgroup Server 9150 to a Workgroup Server 9150/120
- Includes 8MB of RAM, Apple RAID Software, AppleShare 4.1 Update Kit, and System 7.5.1 software. Additional RAM may be required.

Macintosh Memory Expansion Kits

A variety of memory expansion kits are available. Check with your Apple reseller for details.

Apple Token Ring NB/c Card

Order No. M1769Z/A (7-inch)

Apple Token Ring 4/16 NB Card

Order No. M1769Z/A (12-inch)

Part numbers mentioned in this article are accurate as of this writing. Before ordering, verify that they are still correct as they are subject to change.

Support Information Services

Copyright 1995, Apple Computer, Inc.

Tech Info Library Article Number:17493